

## Model No 02133V

### 8 Foot 27.505 MHz Paging Antenna

The model 02133V antenna is a paging antenna for use on the frequencies 27.505MHz. The antenna is housed in a white, smooth and rugged fiberglass radome, and comes complete with five metres of low loss cable. The antenna comes with a male UHF plug connector allowing connection to the transceiver. The antenna can be used with a range of alternative optional mountings.

#### Applications

Paging 27MHz

#### Tuning

Factory tuned requires no further adjustment.

#### Features

- ✓ Smooth white fibreglass radome
- ✓ 5 metres low loss cable
- ✓ Chromed Brass fittings
- ✓ Matches adjustable bases (bases optional extra)
- ✓ White cable

#### Mounting Options

- 02735S** Two way Knuckle Small.
- 02735** Two way Knuckle (Glass nylon filled)
- 02737** Two way Knuckle (Stainless Steel)
- 02738** Two way Knuckle (Chromed Brass)
- 027381** Rail Mount (Stainless Steel)

#### Specifications


- Gain:** 27.505 MHz: Unity gain
- Impedance:** 50 Ohms nominal
- Polarisation:** Vertical
- Radiation:** Omni directional
- Termination:** Male UHF plug – to be fitted by customer
- Base Materials:** Fiberglass and Chromed Brass
- Antenna Length (L):** 2380 mm

#### Packaging

Cardboard Tube, one antenna per tube, 45 (OD) mm x 2430 (L) mm, Gross Weight: 1.2 Kg

#### Warranty

3 years (Please refer to Benelec Standard Warranty Terms and Conditions)



#### VSWR

