


DATASHEET

UHF PLUG FOR RG58 & LL195

PART NO: **04104**



Cable Stripping Dimensions



The 04104 UHF PL-259 plug is a combination screw-on & solder style. It is a quality Nickel plated product with Gold finish on the centre pin contact & also the soldering surface (inside of centre pin). Unlike silver plated connectors it has high resistance to tarnishing.

The construction features Brass metal parts with Nickel or Gold plated surfaces as appropriate.

The shield screw thread connection conforms to the proper UHF PL-259 standard imperial thread (unlike some competitor 'metricized' parts).

FEATURES

- Brass metal parts
- Gold Plated centre pin
- Nickel Plated (all else)
- Bakelite Dielectric
- Reliable, Robust, Durable
- Suitable up to 520 MHz
- Threads conform to imperial standards for PL-259

APPLICABLE CABLES

For use with 5mm 50 ohm coaxial cables including:

- [05602ABK](#) *RG-58C/U (100m roll)*
- [05602ABK5](#) *RG-58C/U (500m roll)*
- [05602AWT5](#) *RG-58C/U (500m roll White)*
- [05603](#) *RG-58 LowLoss (100m roll)*
- [056031](#) *LL195 (100m roll)*

...and similar.

MATERIALS & PLATING

	Description	Material	Surface Plating
1	Shell/Body	Brass	Nickel
2	Contact Pin	Brass	Gold
3	Dielectric	Bakelite	N/A

PACKAGING

Each: N.W. 16.85g ; PolyBag 25x: G.W. 422g;
Box 100x: G.W. 1.725kg

WARRANTY

12 months (Please refer to [Benelec Terms & Conditions](#))

